

M A T E R I A L S A F E T Y D A T A S H E E T

Date Printed: 1/12/2005

Page:
1

Product Code: FP-FINISH PUTTY
Product Name: FINISH PUTTY

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-hour Emergency Phone: 800-510-8510

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

(SEE TOP OF PAGE)

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT/EXPOSURE LIMITS

CAS#

ODORLESS MINERAL SPIRITS

64742-48-9

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

SKIN:

NA; Wash with soap and water.

INGESTION:

May irritate mouth, throat and stomach; Do NOT induce vomiting; Contact a physician.

INHALATION:

NA; Remove to fresh air.

4. FIRST AID MEASURES

EYES:

May cause eye irritation; Flush eyes; Contact a physician

SKIN:

NA; Wash with soap and water

INGESTION:

None known

INHALATION:

NA; Remove to fresh air

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASSIFICATION: CLASS 1B

LOWEST FLASH POINT: 120F

METHOD: TCC

FLAMMABLE LIMITS:

LOWER FLAMMABLE LIMIT: 1.3

UPPER FLAMMABLE LIMIT: 9.8

EXTINGUISHING MEDIA: N/A

FIREFIGHTING INSTRUCTIONS:

N/A

6. ACCIDENTAL RELEASE MEASURES

Normal; scoop up product

7. HANDLING AND STORAGE

HANDLING:

Keep containers tightly sealed when not in use; Store in a cool area. Other Precautions: None

STORAGE:

Keep out of reach of children; Avoid prolonged or repeated skin contact; Avoid eye contact

Date Printed: 1/12/2005

Page:
1

Product Code: FP-FINISH PUTTY
Product Name: FINISH PUTTY

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-hour Emergency Phone: 800-510-8510

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:

PRIMARY ROUTES OF ENTRY: inhalation, skin contact, eyes, ingestion.

None required under normal usage and adequate ventilation.

SKIN PROTECTION:

Gloves recommended for prolonged skin contact.

EYE PROTECTION:

NA

HYGENIC PRACTICES:

Clean hands with soap and water after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 354-372F

MELTING POINT: N/A

VAPOR PRESSURE: N/A

VAPOR DENSITY: N/A

SOLUBILITY IN WATER:

SPECIFIC GRAVITY: .889

COATING VOC LB/GL: 2.2147 lb/gl

COATING VOC GM/LTR: 265 g/l

MATERIAL VOC LB/GL: 2.2147 lb/gl

MATERIAL VOC GM/LTR: 265 g/l

% VOLATILE BY VOLUME: 34.962%

EVAPORATION RATE: N/A (Butyl Acetate=1)

WEIGHT PER GALLON: 7.4 lb/gl

PH: N/A

ODOR: MILD

APPEARANCE: Colored Putty

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:

Stable Conditions To Avoid: N/A

INCOMPATIBILITY

: None Known

HAZARDOUS DECOMPOSITION PRODUCTS:

Oxidation may produce carbon and nitrogen oxides.

HAZARDOUS POLYMERIZATION:

Will not occur.

11. TOXICOLOGICAL INFORMATION

CANCER INFORMATION:

This product contains no carcinogens or suspected carcinogens.

TERATOLOGY (BIRTH DEFECT) INFORMATION:

This product contains no reported or suspected teratogens.

REPRODUCTION INFORMATION:

This product contains no reported or suspected mutagens.

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

Uncontrolled release of the product may result in contamination of air, ground, waterways and/or sewers.

M A T E R I A L S A F E T Y D A T A S H E E T

Date Printed: 1/12/2005

Page:
1

Product Code: FP-FINISH PUTTY
Product Name: FINISH PUTTY

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-hour Emergency Phone: 800-510-8510

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state, and local regulations.

14. TRANSPORT INFORMATION

NONE

15. REGULATORY INFORMATION

HMIS HAZARD INDEX: 4=SEVERE, 3=SERIOUS, 2=MODERATE, 1=SLIGHT, 0=LEAST

HEALTH: 1

FLAMMABILITY: 1

REACTIVITY: 0

PERSONAL PROTECTION: B

SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372 (Chemicals listed below constitute the specific percentage of product by weight. Chemicals that do not have a listed percentage comprise less than 1% of total product weight):

 % BY WT

16. DISCLAIMER:

The following supercedes any provision contained in the forms, letters and papers of your company. This product is designed and intended for professional application only. All products should be thoroughly tested under application conditions prior to use. The information contained herein is believed to be reliable. HOWEVER, GEMINI MAKES NO WARRANTY CONCERNING THIS PRODUCT, WHETHER EXPRESS OR IMPLIED. INCLUDING THE WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

UNDER NO CIRCUMSTANCES SHALL GEMINI BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR ANY OTHER DAMAGES FROM ALLEGED NEGLIGENCE, BREACH OF WARRANTY, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY, ARISING OUT OF THE USE OR HANDLING OF THIS PRODUCT. THE SOLE REMEDY OF THE BUYER AND THE SOLE LIABILITY OF GEMINI FOR ANY CLAIMS SHALL BE LIMITED TO THE BUYER'S PURCHASE PRICE OF THE PRODUCT WHICH IS THE SUBJECT OF THE CLAIM OR THE AMOUNT ACTUALLY PAID FOR SUCH PRODUCT, WHICHEVER IS LESS.

TECHNICAL ADVICE FURNISHED BY GEMINI SHALL NOT CONSTITUTE AN EXPRESS WARRANTY, WHICH IS EXPRESSLY DISCLAIMED. ALL TECHNICAL ADVICE GIVEN IS ACCEPTED AT THE RISK OF THE BUYER.

M A T E R I A L S A F E T Y D A T A S H E E T

Date Printed: 1/12/2005

Page:
1

Product Code: FP-FINISH PUTTY

Product Name: FINISH PUTTY

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036

24-hour Emergency Phone: 800-510-8510