

Material Safety Data Sheet

| | |
|---|---|
| Identity (As Used on Label and List) <b style="text-align: center;">Feed-N-Wax | Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. |
|---|---|

Section I

| | |
|---|---|
| Manufacturer's Name <b style="text-align: center;">Howard Products, Inc. | Emergency Telephone Number <b style="text-align: center;">Chemtrec (800)- 424-9300 |
| Address (Number, Street, City, State, and ZIP Code) | Telephone Number for Information <b style="text-align: center;">(805) 227-1000 |
| 560 Linne Road | Date Prepared <b style="text-align: center;">8/11/88 6th Rev. 3/23/04 |
| Paso Robles, CA 93446 | Signature of Preparer (Optional) |

Section II - Hazardous Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity; Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits | % (optional) |
|---|----------|-----------|--------------|--------------|
| Petroleum Distillates CAS# 64742-54-7 | ND | 100 ppm | | |
| Aliphatic Hydrocarbons CAS# 8052-41-3 | | 100 ppm | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Section III - Physical/Chemical Characteristics

| | | | |
|-------------------------|---------------------------------------|---|-----|
| Boiling Point | >200°F | Specific Gravity (H ₂ O = 1) | .89 |
| Vapor Pressure (mm Hg.) | N/A | Melting Point | N/A |
| Vapor Density (AIR = 1) | >1 | Evaporation Rate (Butyl Acetate = 1) | <1 |
| Solubility in Water | Insoluable | Water Reactive | No |
| Appearance and Odor | Yellow - Creamy liquid - Orange Scent | | |

Section IV - Fire and Explosion Hazard Data

| | | | | | |
|------------------------------------|---|-------------------------------------|----|-----|-----|
| Flash Point (Method Used) | 141°F TCC | Flammable Limits in air % by volume | ND | LEL | UEL |
| Extinguishing Media | Foam, CO ₂ , Dry Chemical or water fog. | | | | |
| Special Fire Fighting Procedures | Water spray may be useful to cool containers, but do not use strong stream of water that can spread flames. | | | | |
| Unusual Fire and Explosion Hazards | This product will self extinguish, however thermal decomposition may yield dense black smoke, as well as oxides of carbon. Under normal conditions, this product will not create its own heat or cause self ignition. | | | | |

Material Safety Data Sheet

FW

Section V - Reactivity Data

| | | | |
|--|----------------|---|---------------------|
| Stability | Unstable | | Conditions to Avoid |
| | Stable | ✓ | None Known |
| Incompatibility (Materials to Avoid) Oxidizing Agents, Acids, Vinyl Chloride. | | | |
| Hazardous Decomposition or By-products If heated to high temperatures - oxides of carbon. | | | |
| Hazardous Polymerization | May Occur | | Conditions to Avoid |
| | Will Not Occur | ✓ | None Known |

Section VI - Health Hazard Data

| | | | | |
|--|---|------------------|-----------------|--------------|
| Route(s) of Entry: | | Inhalation? | Skin? | Ingestion? ✓ |
| Health Hazards | Acute May irritate digestive tract. | | | |
| | Chronic None. | | | |
| Carcinogenicity: | NTP? | IARC Monographs? | OSHA Regulated? | Not Listed ✓ |
| Signs and Symptoms of Exposure Possible nausea | | | | |
| Medical Conditions Generally Aggravated by Exposure None known. | | | | |
| Emergency and First Aid Procedures Seek medical assistance for further treatment, observation and support if necessary. | | | | |
| Eye Contact | Hold eye lids open and flush with water for 15 minutes. | | | |
| Skin Contact | Remove contaminated clothing, cleanse affected area by washing with soap and water. | | | |
| Inhalation | Remove victim to fresh air and provide oxygen if breathing with difficulty. | | | |
| Ingestion | DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Give three cups of milk to drink. | | | |

Section VII - Precautions for Safe Handling and Use/Leak Procedures

| | | | | |
|--|---|--|-----------------|--------------------------|
| Steps to Be Taken in Case Material is Released or Spilled | | Keep open flames or spark sources away. Collect liquid in sealed containers or absorbent material. | | |
| | | | | |
| Waste Disposal Method | Place sealed, labeled containers in waste facility according to local disposal codes. | | | |
| Precautions to Be Taken in Handling and Storing Store in cool dry place. Keep away from incompatible materials. | | | | |
| (See section V) | | | | |
| Other Precautions | D.O.T. Hazard Class: Combustible Liquid U.N. #ND | | | |
| HMIS Rating: | Health 1 | Flammability 1 | Reactivity 0 | Personal Protection 0 |

Section VIII - Control Measures

| | | |
|--|------------------------|----------------------------------|
| Respiratory Protection (Specify Type) None required. | | |
| Ventilation | Local Exhaust | Special |
| | Mechanical (General) ✓ | Other None. |
| Protective Gloves | Plastic/Rubber | Eye Protection None required. |
| Other Protective Clothing or Equipment None needed. | | |
| Work/Hygienic Practices Wash hands with soap and water. | | |